

APX NEXT ACCESSORIES

CATALOGUE APX NEXT ANZ - ACCESSORIES



PROTECT YOUR FOCUS WHEN IT MATTERS MOST

IN PUBLIC SAFETY, FOCUS IS YOUR GREATEST RESOURCE. MAKE SURE IT'S PROTECTED WITH APX NEXT[®].

A MASSIVE ADVANCE IN MISSION-CRITICAL VOICE AND DATA

Your radio is your lifeline. APX NEXT is our next step in advancing it. It's designed to military standards for extreme ruggedness. The touchscreen works with or without gloves—in rain, dirt, and dust. Digital mics and high-power speakers deliver our best audio ever, while SmartConnect keeps you connected even beyond your P25 system. The result is a radio that works when you need it, without pause, distraction or doubt.

EFFORTLESS IS ALWAYS IN REACH

APX NEXT is designed for effortless usability when everything is on the line. Intuitive knobs and buttons are easily distinguished by touch. A mission-critical touchscreen makes it fast and easy to operate your radio. ViQi Voice Control understands a huge range of natural language voice commands, so you can operate the radio with eyes-up awareness. Every interaction is simple, fast and logical. You stay focused on what matters—your mission and your safety.

BRING NEW INTELLIGENCE TO THE POINT OF ENGAGEMENT

APX NEXT mission-critical apps bring new intelligence to the field. And as part of our unique, end-to-end public safety ecosystem, APX NEXT data and operations are secure, and new capabilities can be seamlessly added as your needs evolve.

UPDATE YOUR FLEET IN MINUTES, NOT MONTHS

APX NEXT gives you back time: a cloud-based provisioning system prepares radios before they arrive. Remote updating keeps radios in the field, with zero touch and zero downtime. MyView Portal provides direct access to subscriptions, warranties and licences, and a range of services helps you manage your operation. With APX NEXT, your ownership experience is streamlined, so your valuable resources stay focused and ready. \$ 11:30

.

=

A

=

My Status En Route

East Zone

Patrol 1

Clark, Rober

F

....

TABLE OF CONTENTS

EXPAND AND CUSTOMISE YOUR RADIO'S FUNCTIONALITY WITH BEST-IN-CLASS ACCESSORIES.

ANTENNAS	
Stubby	5
All-band	5

AUDIO	
XV RSM	7
Earpieces	10
Surveillance Kits	10

CARRY	
Hybrid Leather Carry Case	12
Carry Attachments	12
Classic Holster	13

ENERGY

Impres 2 Batteries	15
Impres 2 Chargers	16

ANTENNAS

MOTOROLA

DESIGNED FOR WEARABILITY

ANTENNAS DESIGNED FOR WEARABILITY

DETAILS

Motorola Solutions' redesigned antennas provide convenience without compromising performance. Shorter, more flexible and compliant conforming to the user in mission critical environments.

- The new UHF stubby antennas deliver great coverage but will not snag clothing or equipment.
- The new Whip All-band Antenna (V,U,7/800MHz) is fabricated using a new polymer that delivers 40% better flexibility.

SPECIFICATIONS

	UHF R1 Stubby	UHF R2 Stubby	All-band
Part Number	AN000369B01	AN000369B02	AN000297A01
Frequency Range	380-470MHz	450-527MHz	V,U,7/800 MHz
Length	9cm	9cm	20cm
Integrated GPS	No	No	No

ANTENNA BANDS¹

Coloured antenna ID bands are available for easy customisation and come in packs of 10.

1. Coloured bands are only compatible with the all-band antenna (not UHF R1 Stubby or UHF R2 Stubby attennas).

32012144001 Grey
32012144002 Yellow
32012144003 Green
32012144004 Blue
32012144005 Purple

Will the new antennas in APX NEXT (stubby single-band and flexible all-band) work with other APX family radios such as the APX 8000 and APX 6000?

No. The current APX antennas have the GPS hardware embedded. The APX NEXT antennas do not have GPS hardware because the hardware is located in the radio itself. This means that APX NEXT antennas cannot be used with other models of APX radios.



AUDIO HEAR AND BE HEARD LIKE NEVER BEFORE

COLE VE

XV RSM HEAR AND BE HEARD LIKE NEVER BEFORE

DETAILS

The Xtreme Voice (XV) Remote Speaker Microphone is the next generation mission critical RSM designed to deliver the clearest and loudest audio communications. The XV RSM is equipped with our latest technology, including sophisticated noise-reduction techniques, in a sleek, compact package. Instantly access ViQi, your virtual AI assistant, to change radio channels and receive critical information. Create functional short cuts with 3 configurable buttons that are protected against accidental activation. Built as a system, the XV RSM and the APX NEXT radio strengthen the most important thread of your lifeline: ultra-clear voice communications. So no matter where you are or how you speak, you can be confident that, for every message, you'll hear and be heard clearly.

KEY FEATURES

- Loudest, clearest speaker
- Four digital microphones
- Enhanced windporting
- New adaptive noise suppression
- Dedicated ViQi button

EASY ACCESS TO RADIO CONTROLS

State of Emergency

Activate or deactivate emergency mode from your XV RSM.

Full Scale Volume Control

Hold the Up/Down lever in the (+) increment or (-) increment position and your APX NEXT radio will ramp the XV RSM speaker loudness to the highest or lowest available volume setting.

Radio Function Buttons

Configure the one-dot and two-dot buttons to access key radio functionality from your XV RSM.





SPECIFICATIONS

GENERAL

Part Number	PMMN4123
Dimensions (RSM Head Only)	3.58 x 2.48 x 1.1 in (91x63x28 mm)
Weight (Complete Kit)	9.52 oz (270 g)
Clip	360° Rotating Clip with D-Ring
Colour	Black
Power Source	APX NEXT Radio
Secondary Accessory Interfaces	3.5 mm Non-threaded
Intrinsically Safe	No

MICROPHONE

Туре	Quad Beam
Sensitivity	-42 dBV Typical
Distortion (THD)	<5%, Wideband
Intelligent Audio	No
IMPRES™	Yes
Noise Cancellation	4 Microphone Adapative Noise Suppression Algorithm
Windporting	Yes

CONTROLS

Тор	Emergency (Orange)
Side	PTT, 2 Programmable (1-dot and 2-dot)
Front	1 Programmable (3-dot ViQi)
Volume	Up/Down

SPEAKER

Diameter	1.5 in (47 mm)
Rated Output Level	94dBSPL @ 30 cm
Distortion (THD)	<15%

CABLE

Length	10 in (254 mm) Coiled Length
Flex Life	100k Cycles Minimum
Pull Strength	40 lbs (18.14 kg) Minimum
Cable Jacket	Thermoplastic Elastomer (TPE)

ENVIRONMENTAL

Operating Temperature	-30°C to +60°C (-22°F to +140°F)
Storage Temperature	-55°C to +85°C (-67°F to +185°F)
MIL Specs	MIL810F Method 506.4 (Rain), MIL810F Method 509.4 Procedure 1 (Salt Fog), MIL810F Method 510.4 Procedure 1 (Dust), MIL810F Method 514.5 Procedure 1 Category 24 (Vibration), MIL810F Method 516.5 Procedure 1 (Vibration)
ESD	IEC / EN 61000-4-2
IP Rating	IP68
Impact Grill	1.25 in (31.75 mm) Diameter Steel Ball Drop
Work-When-Wet	Yes

SECONDARY AUDIO ACCESSORY

Kit Number	
RLN4941AXL	3.5 mm Xtra Loud Receive-Only Earpiece with Translucent Tube
AARLN4885	3.5 mm Receive-Only Earbud with Foam Cover



AUDIO

HEAR AND BE HEARD LIKE NEVER BEFORE

SURVEILLANCE KITS



IMPRES[™] Two-Wire Surveillance Kit, Beige





Two-Wire Surveillance Kit With Translucent Tube, Black

RLN5312 (Requires BDN6783)

EARPIECES



RLN4941_XL



IMPRES Over-the-Ear Two-Wire Surveillance Kit, Black

PMLN6127



APX™ 3.5mm Threaded Audio Accessory Adapter

BDN6783



3.5 mm Receive-Only Earpiece with Covered Earbud

AARLN4885

Will APX accessories work with APX NEXT?

APX NEXT has the same audio accessory port as other APX radios. Some APX accessories, including surveillance kits, are certified and others are not. Batteries and single-unit chargers will be different. APX NEXT utilises Bluetooth[®] 5.0 and the NFC Bluetooth standard. Therefore, MPP Bluetooth accessories will not be compatible. Please check with your technical sales representative for more details.

Can you use Voice Control or Virtual Partner from an accessory?

The XV RSM is the only accessory with which Voice Control and Virtual Partner are accessible.



IMPRES Two-Wire Surveillance Kit, Black

PMLN6129



CARRY SECURE, EASY ACCESS

MOTOROLA

HYBRID LEATHER CARRY CASE

SECURE, EASY ACCESS

DETAILS

The professional elegance of formed leather complemented with a durable, impact resistant plastic unite to provide a never before seen carry solution for APX NEXT. Our hybrid leather carry case simplifies one handed device access without compromising device security so your hands are free and information is within reach. A quick connect belt loop swivel also allows you to easily disconnect and quickly retrieve your radio. A security strap inspired by gun holsters prevents the device from dislodging during operations, improving user confidence.

KEY FEATURES

- Secure retention allows simple one hand device access
- Built-in audio ports enable you to leave your radio in the case for audio applications without degrading device transmit and receive performance
- Accommodates connection of the XV RSM



HYBRID LEATHER CARRY CASE



Standard clip slot present under D bracket

PART NUMBER SPECIFICATIONS

Standard Capacity	Part Number PMLN7948	Use with Batteries NNTN9216 NNTN9217	Attachments (sold separately)	
			Swivel Belt Loop 2.5″ - PMLN5407	Belt Clip
High Capacity	PMLN7964	NNTN9089 NNTN9090	2.75" - PMLN5408 3" - PMLN5409	2.5" - NTN8266 3" - PMLN7965



HYBRID LEATHER CARRY CASE - BACK VIEW (Swivel Belt Loop sold separately)

CLASSIC HOLSTER

CLASSIC HOLSTER - BACK VIEW WITH 3" BELT CLIP (sold separately - see page 12)

CLASSIC HOLSTER SECURE, EASY ACCESS

DETAILS

Lock down your APX NEXT radio with our classic holster. The innovative radio retention mechanism ensures your radio stays in place even in high pursuit, improving officer safety and securing your LMR investment.

KEY FEATURES

- Ships in box with APX NEXT with the option to replace with the Hybrid Leather Carry Case
- Improved device retention compared to APX carry holsters
- Designed to enable device charging in the IMPRES 2 Multi-Unit Charger while secured using the 2.5" or 3.0" belt clip attachment



PART NUMBER SPECIFICATIONS

Part Number

PMLN7947

ENERGY

MAXIMISE POWER, LIFE AND MANAGEMENT WITH IMPRES[™]2

6

IMPRES 2 BATTERIES

LONG LASTING LIFELINE

SPECIFICATIONS

	Standard Options	Standard HazLoc ¹	
Part Number	NNTN9216	NNTN9217	
Capacity	4400 mAh	4400 mAhUL Div 2	
Operating Temperature	-20C to +60°C (-4°F to +140°F)		
IP Rating	IP68 ² APX NEXT System Rating		
APX NEXT Operating Time	13.8 hrs ³	13.8 hrs ³	
Availability	In-Box Order Option or Aftermarket	In-Box Order Option or Aftermarket	
Availability	or Aftermarket	or Aftermark	

	High Capacity	High Capacity HazLoc	
Part Number	NNTN9089	NNTN9090	
Capacity	5650 mAh	5650 mAh UL Div 2	
Operating Temperature	-30C to +60°C (-22 °F to +140 °F)		
IP Rating	IP68 ² APX NEXT System Rating		
APX NEXT Operating Time	18 hrs³		
Availability	In-Box Order Option or Aftermarket	In-Box Order Option or Aftermarket	

KEY FEATURES

• Built with highest energy density cells yet

For IMPRES 2 battery care tips, please visit http://motorolasolutions.com/batterycare

1. HazLoc: listed by UL to non-incendive standards: UL 121201 and CAN/CSA C22.2 No. 213-17 as safe for use in Class I, Division 2, Groups A,B,C,D; Class II, Division 2, Groups F,G; Class III Hazardous (Classified) Locations.

2. IP68: APX NEXT radio with battery attached submerged in 2 metres of water for 4 hours

 APX NEXT operation life based on land mobile radio 5/5/90 use profile, touchscreen: on 1hr, SmartConnect: 30 mins, LTE: DRX Idle, GPS: Off, Bluetooth: Off, WiFi 80/20, NFC: Off, RSM connected





10000

IMPRES 2 CHARGERS

MAXIMISE POWER, LIFE AND MANAGEMENT

DETAILS

APX NEXT makes use of IMPRES 2 charger technology available in single unit (SUC) and multi unit (MUC) charger configurations. Owners of an APX IMPRES 2 multi unit charger may convert one or more APX pockets with the field-installable APX NEXT pocket.

IMPRES 2 MULTI-UNIT CHARGER

- Charge up to six APX NEXT batteries simultaneously for more efficiency
- IMPRES 2 charging algorithms increase charge cycles up to 60% over non-IMPRES
- Six pocket displays to view enhanced diagnostics
- Disable calibration mode or enable long term storage mode
- Optional wall mount kit NLN7967 available

IMPRES 2 SINGLE-UNIT CHARGER

- Charge your battery by itself or while it's attached to the radio
- Advanced IMPRES 2 charging algorithms
- Ability to disable calibration mode via mode selection switch

APX NEXT POCKET FOR APX MULTI-UNIT CHARGER

- End user field upgradeable
- Create APX NEXT/APX mixed device multi-unit charger

SPECIFICATIONS

Product	Standard Options	Dimensions	USB Charging Ports
IMPRES 2 Multi-Unit Charger	NNTN9113	7.8 x 17.5 x 10.3 in (197 x 445 x 262 mm)	6
IMPRES 2 Single-Unit Charger	NNTN9259	2.8 x 3.9 x 4.8 in (70 x 100 x 123 mm)	2
APX IMPRES 2 Multi Unit Charger	NNTN9212	N/A	N/A



IMPRES 2 MULTI-UNIT CHARGER



APX NEXT POCKET FOR IMPRES 2 MULTI-UNIT CHARGER



IMPRES 2 SINGLE-UNIT CHARGER





Learn more at motorolasolutions.com/apx-next-story



Motorola Solutions Australia Pty Ltd, 10 Wesley Court, Tally Ho Business Park, East Burwood VIC 3151 Australia 1-800-931855 motorolasolutions.com MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylised M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under licence. All other trademarks are the property of their respective owners. © 2020 Motorola Solutions, Inc. All rights reserved. 11-2020

